









USB_MICRO_B_629105150521

Upstream Port





Downstream Ports




R4 - R9 and R12 - R21 DNI for LQFP64,
Installed for LQFP48

Title		
XR22417 Evaluation Board		
Size	Document Number	Rev
A4	USB Ports	1.0
Date:	Wednesday, August 10, 2016	Sheet 2 of 7






Pin 1-2 ILIM (Amps) = $\sim 108.7 / \text{RSET (KOHms)}$
 Pin 2-3 USB 2.0 ILIM



Title			XR22417 Evaluation Board		
Size	A4	Document Number	Overcurrent Monitors		Rev
Date:	Wednesday, August 10, 2016	Sheet	4	of	7
				Rev	1.0



Non-removable Downstream Ports	J29	J27	J26
None	Not Installed	Not Installed	Not Installed
2	Not Installed	Not Installed	Installed
3,2	Not Installed	Installed	Not Installed
3, 2, 1	Not Installed	Installed	Installed
4, 3, 2, 1	Installed	Not Installed	Not Installed
5, 4, 3, 2, 1	Installed	Not Installed	Installed
6, 5, 4, 3, 2, 1	Installed	Installed	Not Installed
7, 6, 5, 4, 3, 2, 1	Installed	Installed	Installed

Usable Downstream Ports	J28	J30
4, 3, 2, 1	Installed	Installed
5, 4, 3, 2, 1	Not Installed	Installed
6, 5, 4, 3, 2, 1	Installed	Not Installed
7, 6, 5, 4, 3, 2, 1	Not Installed	Not Installed

